

Strategic Collaborative Cheshire: Read codes for searches relating to 2019-20 High Level Objectives

Codes taken from: Palliative Care Co-ordination (EPaCCS) template Controlled document p1 of 11
© EMIS Health 2015 – all rights reserved. Last updated: 23 February 2018

The above template complies with the NHS Digital information standard SCCI1580.
You'll find this template in EMIS Library > Templates & Protocols > Extended Healthcare.
Palliative Care Co-ordination template

High Level Objective 1: 0.45% of the Practice Population are on the GSF register

Denominator – living patients on GP Practice register as at (date)

Code	Description
8CM1	On gold standards palliative care framework
8CM10	GSF supportive care stage 1 – advancing disease
8CM11	GSF supportive care stage 2 – increasing decline
8CM12	GSF supportive care stage 3 – last days: cat C – weeks prognosis
8CM13	GSF supportive care stage 3 – last days: cat D – days prognosis
8CM15	GSF prognostic indicator stage A (blue) – year plus prognosis
8CM16	GSF prognostic indicator stage B (green) – months prognosis
8CM17	GSF prognostic indicator stage C (yellow) – weeks prognosis
8CM18	GSF prognostic indicator stage D (red) – days prognosis

Search string:

8CM1. OR 8CM10 OR 8CM11 OR 8CM12 OR 8CM13 OR 8CM15 OR 8CM16 OR 8CM17 OR 8CM18

High Level Objective 2: 35% of all deaths have an EPaCCS record (measure by 9Ng and 9Nu codes)

Denominator – all deaths in period

Code	Description
9Ng7	Old 'has EPaCCS' code
9Nu6	Consent given for sharing EoLCC record
9Nu8	Best interest decision taken (MCA 2005) sharing EoLCC record
9Nu9	Consent legitimate patient representative sharing EoLCC record
9Nu90	Consent appointed person LPA person welfare (MCA 05) sharing EoLCC rec

Search string:

9Ng7. OR (9Nu6. OR 9Nu8. OR 9Nu9. OR 9Nu90)

High Level Objective 3: 35% of all deaths have an EPaCCS record (measure by GSF+ACP+CPR codes)

Denominator – all deaths in period

GSF codes	
8CM1	On gold standards palliative care framework
8CM10	GSF supportive care stage 1 – advancing disease
8CM11	GSF supportive care stage 2 – increasing decline
8CM12	GSF supportive care stage 3 – last days: cat C – weeks prognosis
8CM13	GSF supportive care stage 3 – last days: cat D – days prognosis
8CM15	GSF prognostic indicator stage A (blue) – year plus prognosis
8CM16	GSF prognostic indicator stage B (green) – months prognosis
8CM17	GSF prognostic indicator stage C (yellow) – weeks prognosis
8CM18	GSF prognostic indicator stage D (red) – days prognosis
ACP-related codes (includes PPOC/D location codes)	
9NgH	Has advance statement (Mental Capacity Act 2005)

8CME	Has end of life advance care plan
9NgE	Best interest decision made on behalf of patient (MCA 2005)
9NgJ	Preferred priorities for care document completed
9NgG	Has ADRT (advance decision to refuse treatment) (MCA 2005)
9NgG0	Has advance decision refuse life sustaining treat (MCA 2005)
9W4..	Lasting power of attorney property and affairs
9W5..	Lasting power of attorney personal welfare
9W8..	Has appointed person with personal welfare LPA (MCA 2005)
9W80	Has apnt persn persnl welf LPA auth life sust decns MCA 2005
8Ce8	Preferred place of care – discussed with patient
8Ce9	Preferred place of care – discussed with family
8CeA	Preferred place of care – patient unable to express preference
8CeB	Preferred place of care – patient declined to participate
8CN1	Preferred place of death: discussed with patient
94ZB	Preferred place of death: discussed with family
94Z6	Preferred place of death: patient unable to express preference
94Z7	Preferred place of death: discussion not appropriate
94Z8	Preferred place of death: patient undecided
94ZD	Preferred place of death: patient declined discussion
8Ce0	Preferred place of care – home
8Ce1	Preferred place of care – hospice
8Ce2	Preferred place of care – community hospital
8Ce3	Preferred place of care – hospital
8Ce4	Preferred place of care – nursing home
8Ce5	Preferred place of care – residential home
8Ce6	Preferred place of care – learning disability unit
8Ce7	Preferred place of care – mental health unit
94Z1	Preferred place of death: home
94Z2	Preferred place of death: hospice
94Z3	Preferred place of death: community hospital
94Z4	Preferred place of death: hospital
94Z5	Preferred place of death: nursing home
94Z9	Preferred place of death: learning disability unit
94ZA	Preferred place of death: mental health unit
94ZE	Preferred place of death: residential home
94ZF	Preferred place of death: usual place of residence
CPR-related codes	
67P0	Resuscitation discussed with patient
1R00	For attempted cardiopulmonary resuscitation
1R10	Not for attempted CPR (cardiopulmonary resuscitation)
8CN7	Not appropriate for CPR discussion

Search string:

(8CM1. OR 8CM10 OR 8CM11 OR 8CM12 OR 8CM13 OR 8CM15 OR 8CM16 OR 8CM17 OR 8CM18)

AND

(8CME OR 9NgH OR 9NgE OR 9NgJ OR 9NgG OR 9NgG0 OR 9W4 OR 9W5 OR 9W8 OR 9W80 OR 8Ce8 OR 8Ce9 OR 8CeA OR 8CeB OR 8CN1 OR 94ZB OR 94Z6 OR 94Z7 OR 94Z8 OR 94ZD OR 94Z1. OR 94Z2. OR 94Z3. OR 94Z4. OR 94Z5. OR 94Z9. OR 94ZA. OR 94ZE. OR 94ZF. OR 8Ce0. OR 8Ce1. OR 8Ce2. OR 8Ce3. OR 8Ce4. OR 8Ce5. OR 8Ce6. OR 8Ce7.)

AND

(1R00. OR 1R10. OR 67P0 OR 8CN7)

High Level Objective 4: 40% of all deaths have a recorded GSF code*Denominator – all deaths in period*

Code	Description
8CM1	On gold standards palliative care framework
8CM10	GSF supportive care stage 1 – advancing disease
8CM11	GSF supportive care stage 2 – increasing decline
8CM12	GSF supportive care stage 3 – last days: cat C – weeks prognosis
8CM13	GSF supportive care stage 3 – last days: cat D – days prognosis
8CM15	GSF prognostic indicator stage A (blue) – year plus prognosis
8CM16	GSF prognostic indicator stage B (green) – months prognosis
8CM17	GSF prognostic indicator stage C (yellow) – weeks prognosis
8CM18	GSF prognostic indicator stage D (red) – days prognosis

Search string:

8CM1. OR 8CM10 OR 8CM11 OR 8CM12 OR 8CM13 OR 8CM15 OR 8CM16 OR 8CM17 OR 8CM18

High Level Objective 5: 35% of all deaths will have a recorded ACP discussion (including declining of ACP discussion, and PPOC/D location codes)*Denominator – all deaths in period*

Code	Description
9NgH	Has advance statement (Mental Capacity Act 2005)
8CME	Has end of life advance care plan
9NgE	Best interest decision made on behalf of patient (MCA 2005)
9NgJ	Preferred priorities for care document completed
9NgG	Has ADRT (advance decision to refuse treatment) (MCA 2005)
9NgG0	Has advance decision refuse life sustaining treat (MCA 2005)
9W4..	Lasting power of attorney property and affairs
9W5..	Lasting power of attorney personal welfare
9W8..	Has appointed person with personal welfare LPA (MCA 2005)
9W80	Has apnt persn persnl welf LPA auth life sust decns MCA 2005
8Ce8	Preferred place of care – discussed with patient
8Ce9	Preferred place of care – discussed with family
8CeA	Preferred place of care – patient unable to express preference
8CeB	Preferred place of care – patient declined to participate
8CN1	Preferred place of death: discussed with patient
94ZB	Preferred place of death: discussed with family
94Z6	Preferred place of death: patient unable to express preference
94Z7	Preferred place of death: discussion not appropriate
94Z8	Preferred place of death: patient undecided
94ZD	Preferred place of death: patient declined discussion
8Ce0	Preferred place of care – home
8Ce1	Preferred place of care – hospice
8Ce2	Preferred place of care – community hospital
8Ce3	Preferred place of care – hospital
8Ce4	Preferred place of care – nursing home
8Ce5	Preferred place of care – residential home
8Ce6	Preferred place of care – learning disability unit
8Ce7	Preferred place of care – mental health unit
94Z1	Preferred place of death: home
94Z2	Preferred place of death: hospice

94Z3	Preferred place of death: community hospital
94Z4	Preferred place of death: hospital
94Z5	Preferred place of death: nursing home
94Z9	Preferred place of death: learning disability unit
94ZA	Preferred place of death: mental health unit
94ZE	Preferred place of death: residential home
94ZF	Preferred place of death: usual place of residence

Search string:

8CME OR 9NgH OR 9NgE OR 9NgJ OR 9NgG OR 9NgG0 OR 9W4 OR 9W5 OR 9W8 OR 9W80 OR 8Ce8 OR 8Ce9 OR 8CeA OR 8CeB OR 8CN1 OR 94ZB OR 94Z6 OR 94Z7 OR 94Z8 OR 94ZD OR 94Z1. OR 94Z2. OR 94Z3. OR 94Z4. OR 94Z5. OR 94Z9. OR 94ZA. OR 94ZE. OR 94ZF. OR 8Ce0. OR 8Ce1. OR 8Ce2. OR 8Ce3. OR 8Ce4. OR 8Ce5. OR 8Ce6. OR 8Ce7.

High Level Objective 6: 60% of all deaths will have a recorded CPR discussion/status

Denominator – all deaths in period

Code	Description
67P0	Resuscitation discussed with patient
1R00	For attempted cardiopulmonary resuscitation
1R10	Not for attempted CPR (cardiopulmonary resuscitation)
8CN7	Not appropriate for CPR discussion

Search string:

1R00. OR 1R10. OR 67P0 OR 8CN7

High Level Objective 7: 25% of all deaths will have a PPOd/PPoC AND an Actual PoD recorded

Denominator – all deaths in period

Code	Description
8Ce0	Preferred place of care – home
8Ce1	Preferred place of care – hospice
8Ce2	Preferred place of care – community hospital
8Ce3	Preferred place of care – hospital
8Ce4	Preferred place of care – nursing home
8Ce5	Preferred place of care – residential home
8Ce6	Preferred place of care – learning disability unit
8Ce7	Preferred place of care – mental health unit
94Z1	Preferred place of death: home
94Z2	Preferred place of death: hospice
94Z3	Preferred place of death: community hospital
94Z4	Preferred place of death: hospital
94Z5	Preferred place of death: nursing home
94Z9	Preferred place of death: learning disability unit
94ZA	Preferred place of death: mental health unit
94ZE	Preferred place of death: residential home
94ZF	Preferred place of death: usual place of residence
9491	Patient died at home
9493	Patient died in nursing home
9494	Patient died in residential inst. NOS
9495	Patient died in hospital
949A	Patient died in hospice
949B	Patient died in community hospital

949H	Died in learning disability unit
949J	Died in mental health unit
949E	Patient died in usual place of residence
949Z	Patient died in place NOS

Search string:

(94Z1. OR 94Z2. OR 94Z3. OR 94Z4. OR 94Z5. OR 94Z9 OR 94ZA OR 94ZE. OR 94ZF OR 8Ce0. OR 8Ce1.
OR 8Ce2. OR 8Ce3. OR 8Ce4. OR 8Ce5. OR 8Ce6. OR 8Ce7.)

AND

(9491. OR 9493. OR 9494. OR 9495. OR 949A. OR 949B OR 949H OR 949J OR 949E OR 949Z)