

## Strategic Collaborative Cheshire: Read and SNOMED codes for searches relating to 2019-20 High Level Objectives

Codes taken from: Palliative Care Co-ordination (EPaCCS) template Controlled document p1 of 11

© EMIS Health 2015 – all rights reserved. Last updated: January 2024

The above template complies with the NHS Digital information standard SCCI1580.

You'll find this template in EMIS Library > Templates & Protocols > Extended Healthcare.

*Palliative Care Co-ordination template*

**Mapping Read to SNOMED codes** – [https://hscic.kahootz.com/connect.ti/t\\_c\\_home/view?objectId=407588&exp=e1](https://hscic.kahootz.com/connect.ti/t_c_home/view?objectId=407588&exp=e1) – search database with Read code

**High Level Objective 1: 0.60% of the Practice Population are on the GSF register** (*Hospice is POI – Phase of Illness – codes, not GSF*)

*Denominator – living patients on GP Practice register as at [date]*

SNOMED code (concept ID)	Description
414937009	On gold standards palliative care framework
518901000000101	GSF supportive care stage 1 – advancing disease
518941000000103	GSF supportive care stage 2 – increasing decline
519041000000106	GSF supportive care stage 3 – last days: cat C – weeks prognosis
519061000000107	GSF supportive care stage 3 – last days: cat D – days prognosis
845701000000104	GSF prognostic indicator stage A (blue) – year plus prognosis
845721000000108	GSF prognostic indicator stage B (green) – months prognosis
845751000000103	GSF prognostic indicator stage C (yellow) – weeks prognosis
845771000000107	GSF prognostic indicator stage D (red) – days prognosis

### SNOMED:

414937009 OR 518901000000101 OR 518941000000103 OR 519041000000106 OR 519061000000107 OR 845701000000104 OR 845721000000108 OR 845751000000103 OR 845771000000107

**Removed from Cheshire reporting in 2023 High Level Objective 2: 35% of all deaths have an EPaCCS record** (measure by 9Ng and 9Nu. codes below)

Denominator – all deaths in period

SNOMED code (concept ID)	Description
526631000000108	Old 'has EPaCCS' code –'on EoLC register'
882921000000109	Consent given for sharing EoLCC record
882961000000101	Best interest decision taken (MCA 2005) sharing EoLCC record
882981000000105	Consent legitimate patient representative sharing EoLCC record
883001000000106	Consent appointed person LPA person welfare (MCA 05) sharing EoLCC rec

**SNOMED:**

526631000000108 OR (882921000000109 OR 882961000000101 OR 882981000000105 OR 883001000000106)

**High Level Objective 3: 35% of all deaths have an EPaCCS record** (measure by GSF+ACP+CPR codes) (*Hospice is POI – Phase of Illness – codes, not GSF*)

Denominator – all deaths in period

SNOMED code (concept ID)	Description
414937009	On gold standards palliative care framework
518901000000101	GSF supportive care stage 1 – advancing disease
518941000000103	GSF supportive care stage 2 – increasing decline
519041000000106	GSF supportive care stage 3 – last days: cat C – weeks prognosis
519061000000107	GSF supportive care stage 3 – last days: cat D – days prognosis
845701000000104	GSF prognostic indicator stage A (blue) – year plus prognosis
845721000000108	GSF prognostic indicator stage B (green) – months prognosis
845751000000103	GSF prognostic indicator stage C (yellow) – weeks prognosis
845771000000107	GSF prognostic indicator stage D (red) – days prognosis
816281000000101	Has advance statement (Mental Capacity Act 2005)
713673000	Has end of life advance care plan
765141000000105	Best interest decision made on behalf of patient (MCA 2005)
785091000000102	Preferred priorities for care document completed

816301000000100	Has ADRT (advance decision to refuse treatment) (MCA 2005)
816321000000109	Has advance decision refuse life sustaining treat (MCA 2005)
341041000000103	Lasting power of attorney property and affairs
341051000000100	Lasting power of attorney personal welfare
816361000000101	Has appointed person with personal welfare LPA (MCA 2005)
816381000000105	Has apnt persn persnl welf LPA auth life sust decns MCA 2005
518841000000107	Preferred place of care – discussed with patient
518861000000108	Preferred place of care – discussed with family
518981000000106	Preferred place of care – patient unable to express preference
520541000000100	Preferred place of care – patient declined to participate
395687000	Preferred place of death: discussed with patient
518801000000109	Preferred place of death: discussed with family
517111000000103	Preferred place of death: patient unable to express preference
517131000000106	Preferred place of death: discussion not appropriate
517161000000101	Preferred place of death: patient undecided
766391000000108	Preferred place of death: patient declined discussion
505401000000102	Preferred place of care – home
505431000000108	Preferred place of care – hospice
505461000000103	Preferred place of care – community hospital
505491000000109	Preferred place of care – hospital
505551000000102	Preferred place of care – nursing home
883161000000106	Preferred place of care – residential home
518661000000109	Preferred place of care – learning disability unit
518681000000100	Preferred place of care – mental health unit
110481000000108	Preferred place of death: home
108401000000102	Preferred place of death: hospice
89751000000108	Preferred place of death: community hospital
109401000000108	Preferred place of death: hospital
89761000000106	Preferred place of death: nursing home
518741000000100	Preferred place of death: learning disability unit
518771000000106	Preferred place of death: mental health unit
710571000000101	<i>Preferred place of death: care home</i>
512071000000106	Preferred place of death: residential home
819211000000102	Preferred place of death: usual place of residence

873341000000100	Resuscitation discussed with patient
450475007	For attempted cardiopulmonary resuscitation
450476008	Not for attempted CPR (cardiopulmonary resuscitation)
931761000000106	<i>Discussion about do not attempt CPR not appropriate at this time</i>

**Search strings**

**SNOMED:**

(414937009 OR 518901000000101 OR 518941000000103 OR 519041000000106 OR 519061000000107 OR 845701000000104 OR 845721000000108 OR 845751000000103 OR 845771000000107)

**AND**

(713673000 OR 816281000000101 OR 765141000000105 OR 785091000000102 OR 816301000000100 OR 816321000000109 OR 341041000000103 OR 341051000000100 OR 816361000000101 OR 816381000000105 OR 518841000000107 OR 518861000000108 OR 518981000000106 OR 520541000000100 OR 395687000 OR 518801000000109 OR 517111000000103 OR 517131000000106 OR 517161000000101 OR 766391000000108 OR 110481000000108 OR 108401000000102 OR 89751000000108 OR 109401000000108 OR 89761000000106 OR 518741000000100 OR 518771000000106 OR 710571000000101 OR 512071000000106 OR 819211000000102 OR 505401000000102 OR 505431000000108 OR 505461000000103 OR 505491000000109 OR 505551000000102 OR 883161000000106 OR 518661000000109 OR 518681000000100)

**AND**

(450475007 OR 450476008 OR 873341000000100 OR 931761000000106)

**High Level Objective 4: 45% of all deaths have a recorded GSF code (*Hospice is POI – Phase of Illness – codes, not GSF*)**

*Denominator – all deaths in period*

SNOMED code ( <i>concept ID</i> )	Description
414937009	On gold standards palliative care framework
518901000000101	GSF supportive care stage 1 – advancing disease
518941000000103	GSF supportive care stage 2 – increasing decline

519041000000106	GSF supportive care stage 3 – last days: cat C – weeks prognosis
519061000000107	GSF supportive care stage 3 – last days: cat D – days prognosis
845701000000104	GSF prognostic indicator stage A (blue) – year plus prognosis
845721000000108	GSF prognostic indicator stage B (green) – months prognosis
845751000000103	GSF prognostic indicator stage C (yellow) – weeks prognosis
845771000000107	GSF prognostic indicator stage D (red) – days prognosis

**SNOMED:**

414937009 OR 518901000000101 OR 518941000000103 OR 519041000000106 OR 519061000000107 OR 845701000000104 OR 845721000000108 OR 845751000000103 OR 845771000000107

**High Level Objective 5: 45% of all deaths will have a recorded ACP discussion** (including declining of ACP discussion, and PPoC/D location codes)  
*Denominator – all deaths in period*

<b>SNOMED code (concept ID)</b>	<b>Description</b>
816281000000101	Has advance statement (Mental Capacity Act 2005)
713673000	Has end of life advance care plan
765141000000105	Best interest decision made on behalf of patient (MCA 2005)
785091000000102	Preferred priorities for care document completed
816301000000100	Has ADRT (advance decision to refuse treatment) (MCA 2005)
816321000000109	Has advance decision refuse life sustaining treat (MCA 2005)
341041000000103	Lasting power of attorney property and affairs
341051000000100	Lasting power of attorney personal welfare
816361000000101	Has appointed person with personal welfare LPA (MCA 2005)
816381000000105	Has apnt persn persnl welf LPA auth life sust decns MCA 2005
518841000000107	Preferred place of care – discussed with patient
518861000000108	Preferred place of care – discussed with family
518981000000106	Preferred place of care – patient unable to express preference
520541000000100	Preferred place of care – patient declined to participate
395687000	Preferred place of death: discussed with patient
518801000000109	Preferred place of death: discussed with family
517111000000103	Preferred place of death: patient unable to express preference

517131000000106	Preferred place of death: discussion not appropriate
517161000000101	Preferred place of death: patient undecided
766391000000108	Preferred place of death: patient declined discussion
505401000000102	Preferred place of care – home
505431000000108	Preferred place of care – hospice
505461000000103	Preferred place of care – community hospital
505491000000109	Preferred place of care – hospital
505551000000102	Preferred place of care – nursing home
883161000000106	Preferred place of care – residential home
518661000000109	Preferred place of care – learning disability unit
518681000000100	Preferred place of care – mental health unit
110481000000108	Preferred place of death: home
108401000000102	Preferred place of death: hospice
89751000000108	Preferred place of death: community hospital
109401000000108	Preferred place of death: hospital
89761000000106	Preferred place of death: nursing home
518741000000100	Preferred place of death: learning disability unit
518771000000106	Preferred place of death: mental health unit
710571000000101	<i>Preferred place of death: care home</i>
512071000000106	Preferred place of death: residential home
819211000000102	Preferred place of death: usual place of residence

**Search strings**

**SNOMED:**

713673000 OR 816281000000101 OR 765141000000105 OR 785091000000102 OR 816301000000100 OR 816321000000109 OR 341041000000103 OR 341051000000100 OR 816361000000101 OR 816381000000105 OR 518841000000107 OR 518861000000108 OR 518981000000106 OR 520541000000100 OR 395687000 OR 518801000000109 OR 517111000000103 OR 517131000000106 OR 517161000000101 OR 766391000000108 OR 110481000000108 OR 108401000000102 OR 89751000000108 OR 109401000000108 OR 89761000000106 OR 518741000000100 OR 518771000000106 OR 710571000000101 OR 512071000000106 OR 819211000000102 OR 505401000000102 OR 505431000000108 OR 505461000000103 OR 505491000000109 OR 505551000000102 OR 883161000000106 OR 518661000000109 OR 518681000000100

**High Level Objective 6: 60% of all deaths will have a recorded CPR discussion/status**

*Denominator – all deaths in period*

<b>SNOMED code (concept ID)</b>	<b>Description</b>
873341000000100	Resuscitation discussed with patient
450475007	For attempted cardiopulmonary resuscitation
450476008	Not for attempted CPR (cardiopulmonary resuscitation)
931761000000106	<i>Discussion about do not attempt CPR not appropriate at this time</i>

**Search strings**

**SNOMED:**

450475007 OR 450476008 OR 873341000000100 OR 931761000000106

**High Level Objective 7: 25% of all deaths will have a PPoD/PPoC AND an Actual PoD recorded**

*Denominator – all deaths in period*

<b>Read Code</b>	<b>SNOMED code (concept ID)</b>	<b>Description</b>
8Ce0	505401000000102	Preferred place of care – home
8Ce1	505431000000108	Preferred place of care – hospice
8Ce2	505461000000103	Preferred place of care – community hospital
8Ce3	505491000000109	Preferred place of care – hospital
8Ce4	505551000000102	Preferred place of care – nursing home
8Ce5	883161000000106	Preferred place of care – residential home
8Ce6	518661000000109	Preferred place of care – learning disability unit
8Ce7	518681000000100	Preferred place of care – mental health unit
94Z1	110481000000108	Preferred place of death: home
94Z2	108401000000102	Preferred place of death: hospice
94Z3	89751000000108	Preferred place of death: community hospital
94Z4	109401000000108	Preferred place of death: hospital
94Z5	89761000000106	Preferred place of death: nursing home
94Z9	518741000000100	Preferred place of death: learning disability unit
94ZA	518771000000106	Preferred place of death: mental health unit
94ZC	710571000000101	<i>Preferred place of death: care home</i>

94ZE	512071000000106	Preferred place of death: residential home
94ZF	819211000000102	Preferred place of death: usual place of residence
9491	184293009	Patient died at home
9493	184295002	Patient died in nursing home
9494	818961000000101	Patient died in residential inst. NOS
9495	184297005	Patient died in hospital
949A	313372007	Patient died in hospice
949B	89671000000108	Patient died in community hospital
949D	698747008	<i>Patient died in care home</i>
949H	713050009	Died in learning disability unit
949J	713051008	Died in mental health unit
949E	700215003	Patient died in usual place of residence
949Z	366044004	Patient died in place NOS

**Search strings**

**SNOMED:**

(110481000000108 OR 108401000000102 OR 89751000000108 OR 109401000000108 OR 89761000000106 OR 518741000000100 OR 518771000000106 OR 710571000000101 OR 512071000000106 OR 819211000000102 OR 505401000000102 OR 505431000000108 OR 505461000000103 OR 505491000000109 OR 505551000000102 OR 883161000000106 OR 518661000000109 OR 518681000000100)

**AND**

(184293009 OR 184295002 OR 818961000000101 OR 184297005 OR 313372007 OR 89671000000108 OR 698747008 OR 713050009 OR 713051008 OR 700215003 OR 366044004)

**High Level Objective 7a: % of deaths with a PPoD/PPoC / Actual PoD recorded that achieve PPoD/PPoC**

*Denominator – deaths in period with a PPoD/PPoC and Actual PoD*

Read Code	SNOMED code (concept ID)	Description
	1964501000006103	Patient died in acute hospital
	183676005	Died in hospital
	505491000000109	Preferred place of care hospital
	505461000000103	Preferred place of care community hospital
	109401000000108	Preferred place of death hospital
	505401000000102	Preferred place of care home
	110451000000108	Preferred place of death Home
	184293009	Patient Died at home
	883161000000106	Preferred place of care care home



	710571000000101	Preferred place of death care home
	505551000000102	Preferred place of care Nursing home
	883161000000106	Preferred place of care Residential home
	518771000000106	Preferred place of death nursing home
	512071000000102	preferred place of death residential home
	81896100000010	Died in residential home
	698747008	Died in care home
	17789210000006100	Prefer place of death voluntary Hospice
	505431000000108	Preferred place of care Hospice
	11789210000006100	Preferred place of care voluntary Hospice
	313372007	Died in hospice
	89751000000108	Preferred place of death Community hospital
	505461000000103	Preferred place of care community hospital
	89671000000108	Died in community hospital
	5018661000000100	Preferred place of care Learning disability unit
	518741000000100	Preferred place of death LD unit
	366044004	finding if place of death
	713050009	Patient died in learning disability unit
	819211000000102	Preferred place of death usual residence
	700215003	Died in usual place of residence
	518681000000100	Preferred place of care mental health unit
	518771000000106	Preferred place of death Mental health unit
	713051008	Died in mental health unit